Kilsey H.P. 1 1712-13

2: CATALOG: Spring, 1913

SEY'S

Rhododendrons, Azaleas and Other Hardy Native American Plants

Grown in the Carolina Mountains, at 3,800 feet elevation

HIGHLANDS NURSERY, Saginaw, N. C.



Ables fraseri, specimen on grounds of Highlands Nursery. Greatly superior to Ables balsamea, which is of little permanence or value.

To Landscape Architects, Parks, Cemeteries, Botanical Gardens and other Public Institutions a special discount of **10**% will be allowed on prices in this catalog.

claims must be me energy is any mistake or fault on our part, it will be gladly rectified.

All shipments travel at consignce's risk, and transportation companies must be held liable for damage in transit.

Always HARLAN P. KELSEY

Owner of Highlands Nursery, and Salem and Boxford Nurseries

SALEM, MASS., U.S.A.

Cable Address: KELMONT - SALEM

1K. 55% -

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF HIGHLANDS NURSERY

Information

HIGHLANDS NURSERY SHIPMENTS are made from Pincola, N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk Steamship Lines, deliveries to northern and castern points are quick and rates low.

SALEM AND BOXFORD NURSERIES SHIPMENTS are made from Salem or Boxford direct, and Salem and Boxford price-lists must be used in ordering. Prices are about 25 per cent higher than for similar stock at our main Highlands Nursey. A fine stock of specimen Physical Highlands Nursery. A fine stock of specimen Rhdodendrons, Azaleas, Conifers, etc., may be seen at Salem and Boxford Nurseries, and deliveries to eastern points rarely take more than a day or two.

SHIPMENTS OF "COLLECTED" RHODODENDRON MAXIMUM AND KALMIAS are from our special fields in Pennsylvania and the South, depending on destination and quality of stock desired. The best clumps come from the South from high altitudes.

"COLLECTED" RHODODENDRON CATAWBIENSE RHODODENDRON AND CAROLINIANUM (PUNC-**TATUM**) eome only from the South.

OUR NURSERIES ARE UNIQUE, being the first and only to grow Native American Ornamentals, and we now have the only large and complete stock of Hardy American Plants in existence.

THE LOCATION OF HIGHLANDS NURSERY also is unique, an elevation of 3,800 feet insuring unquestioned hardiness.

SHIPPING BEGINS IN SEPTEMBER, when we send out large Rhododendrons, Kalmias, and other evergreens, and bulbs and herbaeeous plants, general stock going out in October and November, and in spring from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to us. We use our best judgment but assume no risk.

OUR EXPORT SHIPMENTS reach the most remote countries in perfect condition; we have exported for over 25 years, and know how to pack.

A DESCRIPTIVE CATALOG, beautifully illustrated, is gladly mailed on request, and advice on the right way to grow Rhododendrons, Azaleas and other native plants gladly given.

HARLAN P. KELSEY, Owner

Cable Address **KELMONT-SALEM**

SALEM, MASS.

Where Kelsey's Hardy American Plants Are Grown

HIGHLANDS NURSERY, under ideal antural conditions at 3,800 feet elevation in the Sonthern Alleghanies, produces absolutely hardy stock for latitudes as far north as Ottawa, Canada.

SALEM AND BOXFORD NURSERIES carry specimen plants, and are distributing points for New England. Send for Catalogs.

SPECIALTIES: Rhododendrons, Azuleas, Kalmias, Leucothoës, Galax, Rare Ericaceæ, Lilies, Trilliums, and the largest general collection of Hardy Native American Plants in oxistence. Carload shipments for mass-planting.

LANDSCAPE DEPARTMENT. Planting plans made and executed. Wild gardeas, woodland "under-planting," bog- and water-gardeas, rockeries. Broad-leaved Evergreea effects. Formal gardens.

September and October is the time to successfully ship and plant Lilies, Trilliums, Cypripediums, Erythroniums and other Bulbs, and many Herbaceous Plants.



Azalca arborescens

DECIDUOUS AND EVERGREEN Trees, Shrubs and Woody Vines

NOTE.—All plants are transplanted and nursery-grown unless plainly marked otherwise.

Bear in mind this is a entalog of Nursery-grown plants growing at our Highlands Nursery, Saginaw, North Chrolina, where we have 100 neres in Nursery. For Catalog of Salem and Boxford Nurseries, see pages following 16,

lowing 10,	Per 10	100	1,000
*Ables concolor. 1 to 11 ft	\$3 00	\$25 00	2,000
11 to 2 ft	5 00	40 00	
*douglasii. See Pseudotsuga.		-0 00	
fraseri. 6 to 12 in	75	6 50	
1 to 1½ ft	1 25	10 00	\$90 00
1½ to 2 ft	2 50	22 50	200 00
2 to 3 ft	5 00	40 00	200 00
Acer pennsylvanicum. 2 to 3 ft	1 50	12 50	
3 to 4 ft	2 00	12 00	
rubrum. 3 to 4 ft	2 00		
saccharum. Sugar Maple. 6 to 12 in	25	2 00	15 00
1 to 2 ft	50	4 00	25 00
2 to 3 ft	60	5 00	10 00
3 to 4 ft	7.5	6 00	10 00
spicatum. 6 to 12 in	75	6 00	
1 to 2 ft	1 00	8 50	
2 to 3 ft	2 00	0 00	
Adelia acuminata. 2 to 3 ft	4 00		
Æsculus octandra. 1 to 2 ft	50		
Alnus alnobetula. 4 to 6 ft., clumps	4 00	37 50	
rugosa. 1 to 2 ft	1 50	01 00	
Amelanchier botryapium. 1 to 2 ft	1 00	8 50	
2 to 3 ft	1 25	10 00	
3 to 4 ft		17 50	
4 to 6 ft	3 00	25 00	
Ampelopsis (Parthenocissus) engelmanii.	., 00	20 00	
Light	75	6.00	50 00
Strong		10 00	00 00
vitacea. I to 2 ft	3 50	10 00	
Andromeda (Pieris) arborea. See Oxydendru	m.		
catesbæi. See Leucothoe.			

EVERGREENS ARE MARKED WITH A STAR (*)

TREES, SHRUBS AND VINES, continued

*Andromeda floribunda. Mountain Andromeda. 2 to 4 feet. Compae bush, with shining green leaves and abundant racemes of showy white flowers in May. Without doubt, the choicest of all this section of the Andromeda family. We have over 5,000 bushy plants and

the Androneda family. We have over 5,000 busing pla	
clumps on hand at our Nurseries, all with balls, and budden	ed.
Per 10	100
6 to 12 in., elumps\$10 00	
1 to $1\frac{1}{2}$ ft., elumps	125 00
ligustrina. See Xolisma.	
Aralia spinosa. 1 to 2 ft	
Arlstolochla sipho. 6 to 12 in	10 00
1 to 2 ft 1 50	12 50
Aronia (Pyrus) arbutifolia. Brilliant searlet berries. The	Aronias
are not surpassed by any undershrub for finished and pe	
	тимиенс
effect. Glossy foliage, brilliant fruit and graceful growth.	
Per 10 100	1,000
6 to 12 in\$1 25 \$10 00	·
1 to 2 it 1 75 15 00	
2 to 3 ft	
3 to 4 ft 4 00 37 50	
3 to 4 ft	

HARDY AMERICAN AZALEAS

American Azaleas are among the choicest ornamentals, whether exotic or native, and were but rarely seen in cultivation before being disseminated by Highlands

Nursery.

Nursery.

They are seen at their best when planted in large musses and in properly prepared beds, and they rielily repay any unusual eare given them. Like most erieaceous p'lants they love deep, moist, well-drained soil, and these showy native species are particularly adapted to planting in eies are partieum, adapted to planting in shrub borders and with rhododendrons, their bril-liant blossoms being set

liant blossoms being set off by a background of dark foliage. The complete hardiness of all the species we offer No is unquestioned.

is unquestioned. No American shrubs equal the native Azaleas, particularly A. lutea, for woodland and hillsides.

Our Carolina mountains have added no more beautiful plant to gardens than these American Azuleas, not even excepting the magnificent rhododendrons. Our stoek of Azuleas, especially A. arborescens and A. lutea is unequaled. Usually all sizes over lift. A. lutea is unequated. Usually all sizes over 1ft. are budded, and special attention is ealled to the larger-sized clumps. These are very desirable for immediate and permanent



Azalea vaseyi

effects. Such specimen stock has never been offered before.

0 00 10 10 10 10 10 10 10 10 10 10 10 10			OU		
i to $1\frac{1}{2}$ ft	50	32	50		
1] to 2 ft 4	00	37	50		
6 to 12 in., clumps 6	00	50			
1 to 1} ft., elumps S	50	75			
1½ to 2 ft., clumps	00	125			
2 to 3 ft., elumps30	00	260			
3 to 4 ft., clumps	00	200	00		
ennescens. 1 to 1 ft4	00				
utea (caienduiacea). Great flune-colored	00				
Azalea. 6 to 12 iu 1	50	12	50	\$100	00
1 to 1} ft, 2	50		50	200	
1½ to 2 ft 3		25		225	
6 to 12 in., clumps 3			50	225	
i to 1} ft., elumps 4	00	37	-	300	00
	00	.,	0.0	300	00

EVERGREENS ARE MARKED WITH A STAR (*)

KELSEY'S Hardy American Plants Rhododendrons and Azaleas CATALOG OF HIGHLANDS NURSERY

	TREES, SHRUBS	AND VINE	ES, cont	inued	
Azalea lutes	continued		Per 1	100	1,000
included in the	14 to 2 ft., clumps.				
	2 to 3 ft., clumps				
	3 to 4 ft., clumps				
nudiffor	a. Pinxter Flower.			0 200 00	
nuumor	6 to 12 in		1 5	0 19 50	\$100 00
	1 40 11 6				\$100 00
	1 to $1\frac{1}{2}$ ft		2 0	0 22 50	
	6 to 12 in., clumps.				
	1 to 11 ft., clumps.				
	1½ to 2 ft., clumps			υ, .	
vaseyi.	Southern Azalea.	April and Ma	y. This	showy Az	alea was
discov	ered in 1878, and int	roduced by H	lighlands	Nursery v	ery soon
	The most profuse b				
pink o	r deep rose-colored.	Foliage deep	erimson	in autum	1.
•	-		Per 1	.0 100	1,000
	6 to 12 in		\$2 5	0 \$22 50	
	1 to 1½ ft				
	1½ to 2 ft				
	6 to 12 in., clumps.				
	1 to 1½ ft., elumps.		Š 5		
rlences	6 to 12 in				\$100 00
viscosa.					150 00
	1 to 1½ ft				130 00
	1½ to 2 ft				
	6 to 12 in., clumps.		3 0		
	1 to $1\frac{1}{2}$ ft., clumps.		40		
	$1\frac{1}{2}$ to 2 ft., clumps.		6 0	0 50 00	



Azalea Iutea		
Per	10 10	0 1,000
Benzoin (Lindera) benzoin. 2 to 3 ft\$2 (
3 to 1 ft 3 (00 25	
Berberls aquifolium (repens). 3 to 6 in 3 5		50
	0 7	00 \$60 00
thumbergin o to in minimum in the contract of		00 90 00
		50
Detail leaves of the control of the		50
	10	00
0 (0 10 1011111111111111111111111111111	10	
	00	50
		50
	0	00
		00
		00
	50	
Digitomia cracinotal o to in interest in i		50 75 00
Carpinus carolinlana (americana). 2 to 3 ft 1 (50
3 to 4 ft 1 5		50
4 to 6 ft 2 (00 18	
6 to 8 ft 3 (0 27	50
Castanea pumlla. Chinkapin.		
6 to 12 in	0 12	50
	00 17	50
	00 37	50
	50	
		00
		50
	0 12	50
EVERGREENS ARE MARKED WITH A	STAR	(*)

KELSEY'S Hardy American Plants Rhododendrons and Azaleas CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS AND VINES, continued Per 10 100	1 000
Celastrus scandeus. 6 to 12 in\$1 00 \$8 50	1,000
1 to 2 ft	
3 to 4 ft	
1 to 1½ ft	
Chlonanthus virginica. White Fringe. 1 to 2 ft	
2 to 3 ft	
Clethra acuminata. Southern Pepper Bush. 8 to 20 ft. Tall shr haodsome reddish hark and drooping racemes of white Moist situations or shrubhery. A characteristic Carolina m	uh, with flowers.
Moist situations or shrubhery. A characteristic Carolina me plaot. July and August.	ountain
Per 10 100 1 to 2 ft	1,000
2 to 3 ft	
6 to 8 ft	
1 to 2 ft	
Comptonia peregrina. "Collected." 6 to 12 in. 1 00 8 50 Cornus amonum. 1 to 2 ft	
Corylus americana. 0 to 12 in	
2 to 3 ft	
2 to 3 ft., clumps	\$50 00 75 00
1 to 2 ft	100 00
Crategus coccinea. 1 to 2 ft	
punctata. 0 to 12 io	50 00
2 to 3 ft	
*Dendrlum buxifolium. 3 to 0 io., elumps 1 00 8 50 0 to 12 in	
*prostratum. Mountain Heath. 6 to 12 in. The Carolina me prostrate form of this beautiful geous. Rockwork ev	ountains
elosely eovering the surface with a bed of greeo. Io full bloor June, produces a striking effect. The delicate flower	om May
with pink. Per 10 100 3 to 0 in., elumps	1,000
6 to 12 in., elumps	
sessilifolia. 1 to 2 ft	
1 to 2 ft	
Euonymus americanus. 1 to 2 ft	
Fraxinus americana. 2 to 3 ft	
4 to 6 ft	
3 to 4 ft	
0 to 8 ft	
1 to 2 ft	
Hamamells virginica. Witch Hazel. 0 to 12 in. 75 0 00 1 to 2 ft	
4 to 6 ft	\$90 00
1 to 2 ft	
#Hyperioum aureum. 1 to 2 ft	
2 to 3 ft	
2 to 3 ft	60 00
*prolificum. 0 to 12 in	
Ilex decidus. 1 to 2 ft 1 50 12 50 2 to 3 ft 2 00 17 50 2 to 3 ft 2 00 17 50	-
*glabra. 6 to 12 in	e decid-
uous Hollies, the pistillate plant producing ahundaot fruit in symmetrical rows to fall and early winter, sugges	ting the
local name of "Bead Bush." Per 10 100 0 to 12 in	1,000
2 to 3 ft 1 75 15 00	•
4 to 6 ft 6 00 50 00	
EVERGREENS ARE MARKED WITH A STAR (*)	



Kalmia latifolia at Highlands Nursery

TREES, SHRUBS	AND	VINES,	continued
---------------	-----	--------	-----------

Per 10	-100)	1,000
*Hex opaca. American Holly. 6 to 12 in\$2 50	\$20	00 \$	180 00
1 to 1½ ft 3 00	27	50	
1½ to 2 ft 4 00	37	50	
2 to 3 ft 8 00			
verticiliata. 6 to 12 in	12	50	100 00
1 to 2 ft	17	50	
Ilicioides (Nemopanthes) mucronata.			
6 to 12 in 1 50			
*Juniperus virginiana. 6 to 12 in 1 25	10	00	90 00
1 to 1½ ft 1 50	12	50	
1½ to 2 ft	32	50	
Kalmia angustifolia. 6 to 12 in	10	00	
1 to 1½ ft 2 00	17	50	
glauca. 6 to 12 in			
latifolia. Mountain Laurel. One of the grandest	of	our	native,

titiolia. Mountain Laurel. One of the grandest of our native, broad-leaved evergreen sbrubs, attaining tree-like proportions in our southern mountains. In cultivation it is a broad, thick shrub, and when in full bloom, of surpassing beauty. The wheel-shaped flowers in close terminal corymbs, pure white to pink, appear in May or June in such profusion as almost to smother the foliage. Its thick, shining leaves, conspicuous the year round, make it a shrub of greatest value for massing. The hardiness of Kalmia latifolia is beyond doubt, it being found sparingly in Nova Scotia and increasingly in abundance through New England and the Middle Atlantic States (particularly in the higher altitudes), till the crest of the Southern Alleghenies is reached. Here, the true American home of the broadleaved cricaceæ, perfect conditions of soil and climate are found, producing such a luxuriance of growth as to form veritable jungles of gorgeous beauty, miles in extent. It is found throughout South Carolina, Georgia and Northern Florida, along the banks of streams and cypress swamps. This proves it to be a plant that will stand almost semi-tropical conditions as well as extreme cold. It is therefore extremely valuable for the Southern States, taking its place with the magnificent Indian Azaleas, which are not bardy in the North.

place with the magnificent indian	MARICAS, WOL	cm and mor	Daiuy III
the North.	Per 1	0 100	1,000
3 to 6 in	\$0 5	0 \$4 00	\$30 00
6 to 9 in	1 0	0 8 50	75 00
9 to 12 in	1 5	0 12 50	100 00
1 to 1½ ft			160 00
1½ to 2 ft			325 00
9 to 12 in., clumps			
1 to 1½ ft., clumps			550 00
11 to 2 ft., clumps			
2 to 3 ft., clumps			
3 to 4 ft., clumps			
1 to 2 ft., "collected" clump			550 00
2 to 3 ft., "eollected" clump			
3 to 4 ft., "collected" clump			1300 00
Larix laricina (americana). 6 to 8 ft			
*Ledum grænlandicum. 3 to 6 in			

EVERGREENS ARE MARKED WITH A STAR (*)

CATALOG OF HIGHLANDS NURSERY



Leucothoe catesbæi
TREES, SHRUBS AND VINES, continued

Leucothoe catesbæi, continued Per 10 100	1,000
1½ to 2 ft	\$225 00
1 to 1½ 1t., clumps 4 00 37 50	325 00
1½ to 2 ft., clumps	
1 to 2 ft 1 75 15 00	
racemosa. 6 to 12 in., clumps. 2 00 17 50 1 to 1½ ft., clumps. 3 00 27 50	
LORICETS CIOICS. 1 to 2 ft 1 no 0 so	
⁷ Japonica, var. nalliana. Light	
Strong	
Magnolia acuminata. 6 to 12 in	
1 to 2 ft.,	
fraseri. 1 to 2 ft	
4 to 6 ft	
tri petala. 2 to 3 it 1 75 15 00	
3 to 4 ft	
Malus coronaria. Wild Fragrant Crab.	
6 to 12 in	
Menziesia pilosa, 1 to 2 ft. 2 00 17 50	
Mohrodendron (Halesia) carolinum. Silver Bell. 6 to 12 in	
1 to 2 ft	
2 to 3 ft	
Myrica cerifera. 6 to 12 in 1 00 8 50	75 00
gale. o to 12 m	
Nyssa muitinora. 6 to 12 in	
1 to 2 ft	
2 to 3 lt	
Oxydondrum arboreum. Tree Andromeda. 25 to 50 ft. O	
inest muye trees, producing white, traggant flowers born	c on clan
der petioles in long, panicled racemes and very graceful fo colors brilliantly in early autumn through shades of crims	inge that
Per 10 100	n. 1,000
6 to 12 in	\$90 00
2 to 3 ft	
3 to 4 ft	
*Engolmanni. 6 to 12 in	
mariana. 1 to 2 it 1 25 10 00	
3 to 4 ft 3 00 25 00	
4 to 5 ft 6 00	
5 to 6 ft	
2 to 3 it 8 00 70 00	
Pieris floribunda. See Andromeda. mariana. 1 to 2 ft., clumps	
Trinus divarienta. 1 to 2 ft 1 50 19 50	100 00
2 to 3 ft	150 00 225 00
1 to 6 ft 8 00 70 00	220 00
2 to 3 ft	
104Crsoniana, b to 12 in spedlings 9 00	
*ponderosa. 6 to 12 in	
4 to 6 it 5 00 40 00	
6 to 8 ft	
WITH A STAR (*)	

8

CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS AND VINES contin		
Per 10	100	1.000
	\$12 50	1,000
		\$150 00
2 to 3 ft		
3 to 4 ft 3 00		225 00
4 to 6 ft 6 00	50 00	40.00
*strobus. 6 to 12 in	5 00	40 00
1 to 2 ft	15 00	
6 to 8 ft20 00	175 00	
8 to 10 ft30 00		
Prunus maritima. 1 to 2 ft 1 50	12 50	
2 to 3 ft 2 00		
pumila. 1 to 2 ft 1 50	12 50	
2 to 3 ft		
*Pseudotsuga taxifolia. Douglas Spruce.		
6 to 12 in 1 00	S 50	75 00
1 to 2 ft 2 00	17 50	
Quercus alba. 1 to 2 ft 1 00	S 50	
2 to 3 ft 1 50	12 50	
coccinea. 2 to 3 ft		
macrocarpa. 3 to 4 ft 4 00		
palustris. 4 to 6 ft 3 00	25 00	
6 to 8 ft 4 00	37 50	
8 to 10 ft 8 00	70 00	
prinus. 3 to 4 ft		
4 to 6 ft		
rubra. 3 to 4 ft		
4 to 6 ft		
Rhodora canadensis. 6 to 12 in	22 50	

RHODODENDRONS

*Rhododendron catawbiense, of the Carolina Mountains

It is this magnificent Rhododendron that over a hundred years ago was introduced into Europe, supplying, together with Rhododendron maximum and R. punctatum, color and hardy blood to the cultivated "hybrids," hut with a censequent loss of hardiness; and so today, for American gardeus where ironelad hardiness is essential, we must turn to the true original species, found on the loftiest, coldest peaks of the Southern Alleghanies, where it attains a height of 20 to 30 feet.

Considering the extreme hardiness, celor of flower, compact growth and remarkable texture of foliage, which is a deep, shining green, and far superior to the hetter-known Rhododendron maximum, we can recommend the true native catawbiense as the finest for general use, withstanding exposure and extremes of temperature where other Rhododendrons fail.



Rhododendron catawbiense EVERGREENS ARE MARKED WITH A STAR (*)

RHODODENDRON CATAWBIENSE, continued

Do not confuse this true species, which is absolutely hardy, with the common so-called catawbiense hybrid seedling so freely imported from Europe, which is at best balf-hardy, and even when hranched above is a single stem, showing bareness underneath for years.

Unlike Rhododendron maximum, it is a very free hloomer, with foliage of a dark, rich, lasting green, which never rusts. The trusses are a bright red-purple (in marked contrast to the muddy purple of the semi-hardy half-hreed imported variety noted ahove), and, as sent out hy Highlands Nursery are always on their own roots.

For massing to produce a broad-leaved evergreen landscape effect, there is no plant equal to it in the latitude of the Northern United States and Canada, where strietly hardy plants must be employed. As a rich, finished border to plantations of the commoner Rhododendron maximum and Kalmia latifolia, the value of Rhododendron catawbiense cannot be overestimated.

Do not compare our many-stemmed clumps with the single-stemmed, "bushy" half-hardy Rhododendrons offered by importers. There is no comparison.

Per 10 100 1,000

iere is no comparison.	Per 10	100	1,000 ·
3 to 6 in., heavy, nursery-grown	.\$1 00	\$8 50	\$75 00
6 to 9 in., heavy, nursery-grown	. 1 50	12 50	100 00
9 to 12 in., heavy, nursery-grown	. 2 00	18 00	160 00
1 to 14 ft., heavy, nursery-grown	. 3 50	32 50	
11 to 2 ft., beavy, nursery-grown	. 5 00	40 00	
9 to 18 in., elumps, nursery-grown	10 00	90 00	750 00
11 to 2 ft., clumps, nursery-grown		135 00	1300 00
2 to 3 ft., elumps, nursery-grown		200 00	1750 00
3 to 4 ft., clumps, nursery-grown		375 00	
4 to 5 ft., clumps, nursery-grown			
1 to 2 ft., "eollected" clumps	.10 00	80 00	700 00
2 to 3 ft., "collected" elumps		130 00	1000 00
3 to 4 ft., "collected" clumps	.25 00	220 00	
4 to 5 ft., "collected" elumps	.40 00	350 00	

*Rhododendron maximum THE GREAT AMERICAN ROSEBAY

Perfectly Hardy in the Latitude of Quebec

Rhododendron maximum is, without doubt, the noblest of American hroad-leaved shruhs. It is found growing sparingly in New England and New York, more abundantly in the Pennsylvania mountains, but reaching perfection only in the Southern Alleghany mountains where it grows in such luxuriance as to form a striking feature in the mountain landscape. Its large, waxy white or delicately pink flowers appear in large trusses in July, the latest of all the Rhododendrons, greatly enhancing its ornamental value as a broad-leaved evergreen for finished landscape effect.

Not even in Asia do Rhododendrons grow more luxuriantly than in our Southern Alleghany Mountains, where they attain a height of 30 feet or more. They must be seen in their native lavishness of growth and hloom, on the mountain-sides or hanging over the dashing ice-cold streams and water-falls, to be properly appreciated, and a trip to the high Carolina mountains in spring and early summer is a never-to-be-forgotten series of joys to the lover of nature.

In our northern gardens Rhododendron maximum (and other species to a small extent) is subject to damaging attacks from the lace-wing fly, particularly in sunny locations. We recommend an emulsion of five to ten pounds of whale-oil soap and one to two quarts of kerosene to 100 gallons of water, used with a spray pump

or incremente to 100 gamons of water,	uscu w.	itii a opi	ay pun	ν
g a fino nozzle.	Per 10	100	1,000	ĵ
3 to 0 in., nursery-grown	.\$0 75	\$6 00	\$50 0	0
6 to 0 in., nursery-grown	. 1 00	8 00	60 0	Ō
9 to 12 in., nursery-grown	. 1 25	10 00	90.0	
1 to 11 ft., nursery-grown	. 2 00	18 00	100 0	_
11 to 2 ft., nursery-grown	. 4 00	35 00	200 0	U
1 to 11 ft., clumps, nursery-grown	7 00	60 00	500 0	n
11 to 2 ft., clumps, nursery-grown	12 00	100 00	000 0	U
2 to 3 ft., elumps, nursery-grown		150 00		
3 to 4 ft., clumps, nursery-grown	35 00	100 00		
1 to 2 ft., "eollected" elumps	. 50 00	70.00	gen o	^
9 to 2 ft. Healtested clumps	. 0 00	70 00	650 0	_
2 to 3 ft., "collected" elumps	.12 50	100 00	850 0	U
3 to 4 ft., "collected" elumps	.20 00	160 00	1400 0	0
4 to 5 ft., "collected" clumps	.30 00	275 00	2500 0	ō
5 to 0 ft., "eollected" clumps	.50 00	400 00		_
6 to 7 ft., "eolleeted" clumps	65 00	540 00		

*Rhododendron carolinianum (punctatum)

The smallest Alleghanian species, though it often attains a height of 15 feet aud is wide-spreading. A very graceful shruh, with totally different aspect from the two species preceding. Leaves dark green, usually blunt nnd narrow, covered with rusty dots below, much smaller than either maximum or catawhiense. Flower-elusters appear in greatest profusion in June, covering the plant with a rose-colored mantle. Fine for rocky slopes or hillsides, standing exposure unusually well, and invaluable as a single specimen or for massing with the other species.

Until this year we have heen sending this beautiful and rare species out under the name of punctatum. Prof. Sargent has recently called attention to the fact that it is a distinct species from the punctatum, differing in time of bloom, with more showy and profuse flowers, and making a much larger and finer plant than the punctatum.

FUERGREENS ARE MARKED WITH A STAR (*)



Rhododendron carolinlanum (punetatum)

RHODODENDRON CAROLINIANUM (punctatum), continued

It is now known as Rhododendron carolinianum, being described and named by Alfred Relider, Arnold Arboreum, Jamaica Plain, Mass.

Per 10	100	1,000
6 to 9 in., nursery-grown\$2 50	\$22 50	
9 to 12 in., nursery-grown 4 00	35 50	
1 to 1} ft., nursery-grown 0 00	50 00	
1) to 2 ft., nursery-grown 8 50	75 00	
9 to 12 in., clumps, nursery-grown10 00	90 00	
1 to 1½ ft., elumps, nursery-grown12 50	110 00 200 00	
1) to 2 ft., elumps, nursery-grown25 00 2 to 3 ft., elumps, nursery-grown40 00	200 00	
3 to 4 ft., clumps, nursery-grown60 00		
o to a ten clamps, naisery-grownoo oo		

Rhododendrons and Kalmias Delivered at Your Station by the Carload

"Collected" and Nursery-grown

For the area covered and effect produced, a "carload" of Rhododendrons, or Kalmias are the cheapest landscape propositions offered. I am offering an unusual grade of splendid clumps, each plant a specimen and burlaped separately. Don't accept "cheap" stock, thrown into cars without hurlaping and with the fine, hair-like rootlets inevitably exposed. You will be disappointed and find it expensive in the end.

Rhododendron maximum and R. catawbiense

In mixed ear, delivered free at any station east of Mississippi River.
Car containing 150 maximum and 150 catawbiense, "collected" as above.
1;- to 4-ft. clumps—a total of 300—for \$400.
Car containing 250 maximum and 250 catawhiense, 1;- to 4-ft. clumps—a total of 500—for \$600.
Twenty-five years' experience growing "American Plants" is at the serge of our custs mass.

vice of our customers.

Rhododendron catawbiense, "collected"

Each plant from the open and burlaped. Prices f. o. b. your station, if
east of the Mississippi River.
Car containing 200 clumps, 1½ to 3½ ft., for\$280
Car containing 300 clumps, 11 to 31 ft., for 390
Car containing 400 clumps, 1\(\frac{1}{2}\) to 3\(\frac{1}{2}\) ft., for
Car containing 600 clumps, 11 to 31 ft., for
Other combinations and sizes gladly quoted.

It is the dream of every plant-lover to have, some day, a "Rhododendron Bed" and all that this implies. By following instructions given in our Descriptive Catalogs, you are assured success.

CATALOG OF HIGHLANDS NURSERY

Rhododendron maximum

Prices in carload lots, delivered f. o. b. your station, if east of the Mississippi River, "collected" from open ground, and each specimen burlaped

Rhododendron maximum, Extra Specimens

For those wishing perfect specimens I can supply a few ears of "collected," extremely heavy plants. Price on request.

Highlands Nursery grows and ships hundreds of thousands and is American headquarters for native plants.

Kalmia latifolia by carload

Each specimen burlaped, and highest-class clumps "collected" from open, delivered free at your station, if east of Mississippi River.
Car, containing 400 clumps, 1 to 3\frac{3}{2} ft., for \$375. Kalmia may be added to help fill any Rhododendron ear at \$1 per clump.
25,000 nursery-grown plants in all sizes. See free catalog.
At the same cost, nothing approaches our magnificent hardy American Rhododendrons and other native broad-leaved evergreens for splendid foliage and flower effects. foliage and flower effects.

Best Plants for the Rhododendron Beds and for Ground-Cover

Some of the most successful are Andromeda polifolia, Chamædaphne calyoulata, Dendrium buxifolium, D. prostratum, Hex glabra, Leucothoe catesbæi, Pieris floribunda, Taxus minor, Galax aphylla, Gaultheria procumbens, Houstonia serpyllifolia, Mitchelia repens, Shortia galacifolia, Vinca minor, V. minor alba, Kanthorrhiza apiifolia, Lilies, Trilliums, Erythroniums, Ferns, Dicentra eximia, Tris ato

Per 10	100	1,000
Rhus aromatica. 0 to 12 in\$1 25	\$10 00	\$90 00
1 to 2 ft 2 00	17 50	
copallina. 1 to 2 ft 1 25	10 00	
2 to 3 ft 1 75	15 00	
3 to 4 ft	22 50	
cotinoides. Southern Smoke Tree. 15 to 30 ft. Ar	invalual	de intro-
duction to our list of lawn trees. Very rare, and	l found c	nly in a
few localities in the Alabama and Missouri mour	itains. V	Thile the
"smoke" as the fruit is known, is not so conspic	PHONE DE	ho ordi-
nary "Smoko Tree," it is a far finer shrub or sm	all tree.	perfectly
hardy, with very beautiful, large, glossy leaves.		periceity
Specimens from 2 to 10 ft., at \$1.50 to \$5 each.		
Per 10	100	1,000
glabra. 0 to 12 in	\$8 50	1,000
1 to 2 ft	12 50	
hirta (typhina). 1 to 2 ft	10 00	
	12 50	
4 to 6 ft	20 00	
Robina hispida. 6 to 12 in 1 00	8 50	
viscosa. 3 to 4 ft		
4 to 0 ft		
Rosa arkansana. 1 to 2 ft	10 50	
blanda. 0 to 12 in 1 50	12 50	
1 to 2 ft	17 50	
carolina. 0 to 12 in	4 00	
1 to 2 ft	7 00	\$ 60 00
2 to 3 ft	10 00	90 00
humilis. 0 to 12 in	8 50	
1 to 2 ft 1 50		
lucida. 6 to 12 in	8 50	
1 to 2 ft 1 50	12 50	
2 to 3 ft 2 00	17 50	
nitida. 6 to 12 in 1 25	10 00	90 00
1 to 2 ft 1 75	15 00	
woodsil. 0 to 12 in		
Rubus canadensis. 1 to 3 ft	6 00	
deliciosus. 6 to 12 in	20 00	
1 to 2 ft	32 50	
1 to 2 ft	5 00	40 00
laciniatus. 1 to 3 ft		
odoratus. 6 to 12 in	6 00	
1 to 2 ft 1 00	8 00	
spectabilis. 6 to 12 in		
Salix humilis. 1 to 2 ft		
Sambucus canadensis. 6 to 12 in 60	5 00	
1 to 2 ft 1 00	S 50	
pubens. 6 to 12 in 1 00	8 50	
1 to 2 ft 1 50	12 50	

CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS AND VINES, continued
Sorbus (Pyrus) americana, Mountain Ash. Per 10 100 1,000
3 to 4 ft
Spartium scopulorum. 1-yr. seedlings 50 4 00 \$30 00 junceum. 1-yr. seedlings 75 6 00
Spiræa opulus. 2 to 4 ft. 1 25 10 00 salicifolia. 2 to 4 ft. elumps. 2 00 17 50
tomentosa. 1 to 2 ft
tomentosa alba. 1 to 2 ft
ealled "American Camellia," is one of the most rare and heautiful of all North American shruhs. Ereet, well-foliaged and with large,
axillary flowers, 3 to 4 inches across, with white, creamy petals, deeply crenulated in the margins. Per 10 100 1,000
1 to 2 ft
2 to 3 ft
Styrax japonica. 4 to 6 ft
6 to 8 ft
*Taxus minor (eanadensis). Canadian Yew.
6 to 12 in
radicans. 1 to 2 ft
6 to 8 ft
6 to 12 in
1 to 2 ft
3 to 4 ft
4 to 5 ft
6 to 7 ft
introduced by us, possesses a distinct pyramidal growth and attains
a height of 40 to 80 feet. Its dense, dark foliage and graceful babit are approached only by the finer Japanese Hemlocks. Some fine specimens are to be seen in the Arnold Arboretum, and are the first
plants of this Hemloek ever sent out, being supplied by us to Prof.
C. S. Sargent, in 1884. Per 10 100 1,000 2 to 3 ft
3 to 4 ft
5 to 6 ft
Vaccinium corymbosum. 1 to 2 ft., elumps 4 00
erythrocarpon. 1 to 2 ft
hirsutum. 6 to 12 in
if is unequaled. Thrives in ordinary garden soil, formling a carpet
a few inches bigh. Foliage turns rieli shades of bronze and red in autumn, and, with the searlet fruit, presents a charming effect the year round. Over 20,000 plants supplied by us to a single estate
at our suggestion, with beautiful results. Per 10 100 1,000
Clumps
pallidum. 1 to 2 ft. 2 00 17 50 1 to 2 ft., elumps. 3 00 27 50
2 to 3 ft., elumps 4 00 37 50
6 to 12 in
stamineum. 6 to 12 in
1 to 1½ ft., elumps
Viburnum acerifolium. 6 to 12 in
alnifolium (lantanoides). 1 to 2 ft 1 75 15 00 2 to 3 ft
3 to 4 ft
cassanoides. 6 to 12 in 1 00 8 50 75 00
2 to 3 ft 1 75 15 00
3 to 4 ft
2 to 3 ft
molie. 1 to 2 ft
lantana. 1 to 2 ft
0xycoccus. 1 to 2 ft
prunifolium. 2 to 3 ft
Wistaria chinensis alba. 6 to 12 in 2 00 17 50
EVERGREENS ARE MARKED WITH A STAR (*)

TREES, SHRUBS AND VINES, c

THE THE PARTY OF T	
Xanthorrhiza apiliolia. Yellow-root. 1 to 4 ft. Undoubtedly finest American undershrub for planting under trees, along ways, walks and borders, or where conditions of extreme most prevail. Finely cut foliage remains a good green till autumn; what turns shades of orange and yellow. Now used by thousand parks and private grounds. Peculiar brown-purple flowers in	road- isture hen it
dulous racemes, appear early. Per 10 100 1	Den-
dulous facelles, appear carry. Fer 10 100 1	,000
3 to 6 in	30 00
	00 01
3 to 6 in., elumps 1 00 7 00 6	
3 to 6 in., elumps 1 00 7 00 6	00 06
6 to 12 in., elumps 1 25 10 00	90 00
1 to 1½ in., elumps 2 50 22 50	
Xolisma ligustrina. 6 to 12 in 1 00 8 50	
1 to 2 ft 1 50 12 50	

Hardy Herbaceous Perennials, Vines, Aquatics, Ferns, Orchids, Lilies and Bulbous Plants. Per 10 100\$1 00 \$8 00 1,000

Acorus calamus.....

Actæa alba	5 16 00)
rubra		
tricoeceum 1 00 Amsonia amsonia. Clumps 1 00		,
Apocynum androsæmifolium 1 0	0	
Aquliegia canadensis		
Aralia nudicaulis		
Archangelica hirsuta7	5 6 00)
Arisæma triphylium 1 00 Artemisia frigida 2 50)
gracilis	0	
Asarum macranthum 1 00		
Asters, in variety: cordifolius curtisii, macro- phyllus, puniceus, umbellatus	0 6 00	1
Astiibe decandra)	
Baptisia tinetoria	7 00	
cucullaria	7 00	
Cacti, Hardy Species. Echinocactus mis-	5 10 00	
souriensis, Echinocereus viridifiorus, Opuntia arenaria, Opuntia camanchica,		
Opuntia major, Opuntia mesacantha		
oymochila, Opuntia mesacantha greenii, Opuntia polyantha 5 00	35 00	
Echinocactus, Perpetual Snow)	
Caltha leptosepala. Marsh Marigold. 1 50		
Campanula divaricata	10 00	
Cassia marylandioa. 75 Caniophyllum thalictroides. "Collected". 1 00	0 00	
Onemonitum intention in [10]	8 00 8 00	
Chelone glabra 1 00 iyoni 1 00		
Unrosperma muscatoxioum	0 00	
Ciouta maculata 1 00 Cimicifuga americana 1 00		
racemosa		
Crispa 2 75	20 00	
douglasii		
ligusticifolia		
VITALDA 1 75	0 00	
*Clintonia umbeliata	0 00 5 00	
Coreopsis lanceolata. Clumps 75	6 00	
rosea. Clumps. 1 00	0 00 8 00	
verticiliata	8 00 5 00	\$40 00
Strong 1 25 californicum 2 50	10 00	70 00
mrsutum. Light	20 00 5 00	40 00
nirsutum. Strong	10 00	80 00
parviflorum		
somest and one of the rarest of hardy orchids. I sepals and petals are puro white, while the largis a beautiful soft red-rose. A strong grower, pre Succeeds well in the rhodologists.	ne broad ge, inflate	ly ovate d pouch
is a beautiful soft red-rose. A strong grower, pre Succeeds well in the rhododendron bed or in the early July.	ferring pe	eat soils.
	100	1,000
1 to 2 erowns\$2 50 3 to 4 erowns	\$20 00 50 00	
5 to 6 erowns	80 00	
EVERGREENS ARE MARKED WITH A S	TAR (*)	
-		

KELSEY'S - Hardy American Plants - Rhododendrons and Azaleas CATALOG OF HIGHLANDS NURSERY

HARDY HERBACEOUS PERENNIAL	S. co	ntinued	
Dionæa muscipula. Venus' Fly-trap	er 10	100 \$\$ 00	1,000
Dioscorea villosa	1 00	7 00 9 00	
	1 25	10 00	
Clumps	L 50 L 50	12 00	\$100 00
americanum Eupatorium ageratoides, perfoliatum and	50	2 00	16 00
purpureum	l 25	10 00 8 00	
	. 00	0 00	
Ferns, Hardy Native Species	er 10	100	1,000
Adiantum pedatum		\$10 00 \$ 00	
*Botrychium virginicum	L 00	8 00 7 00	
Cheilanthes fendleri	1 25 1 00	10 00	
*Dryopteris acrostichoides	00 L 00	8 00 8 00	\$50 00 60 00
goldianum	25 1 25	10 00	
*munitum	3 00	8 00 25 00	60 00
*spinulosa	L 00	\$ 00 \$ 00	60 00
Onoclea sensibilis	L 00	8 00 8 00	
Osmunda cinnamomea, claytoniana and regalis.	50	12 00	100 00
*Polypodium vulgare	75	8 00 6 00	35 00
Pteris aqullina. Galax aphylia. Established clumps	75 L 50	5 00 12 00	30 00 30 00
Gaultheria procumbens. "Collected" elumps.	L 00	8 00 8 00	50 00 50 00
Gillenia. See Porteranthus. Giechoma (Nepeta) hederacea. "Collected." Gentiana andrewsii. Light	75	5 00	40 00
	75	5 00 0 00	35 00 50 00
Goodyera. See Peramium.	75	0 00	
hookeriana 1	00 00 1 75	8 00 8 00	
Helenium autumnale	00	15 00 8 00	
*Heionias bullata]	00	8 00 8 00 8 00	
Heuchera americana and viliosa	00	8 00 8 00	
Houstonia purpurea and serpyllifolia	75	0 00	40 00
Hydrastis canadensis	00	8 00 10 00	80 00
missouriensis	. 50	12 00	50 00
*verna. Clumps 1 versicolor	50	10 00	
Lacinaria (Liatris) pycnostachya 1 spicata 1	00	8 00 8 00	
	00	0 00	
Lilies			
Should always be ordered in spring or sum where possible. Many species are exhausted e	mer	for fall a	hipment
where possible. Many species are exhausted e ship or transplant well in the spring. L. superl L. carolinianum thrive planted in March, Al Santombor and Christella in March and Christella in Chri	bum,	L. canad or May.	ense and though
September and October planting is preferable.	er 10	100	1,000
Lilium canadense. 2nd size	. 00	\$5 00 8 00	\$30 00 60 00
canadense rubrum. 1st size	50 60	12 50 5 00	
1st size 1	50	8 00 12 00	
1st size 1	50	8 00 12 50	100 00
superbum. 3rd size	40 75	2 00 5 00	18 00 35 00
Limodorum (Calopogon) tuberosum 1	50	8 00 12 00	60 00
Lobelia cardinalis and syphilitica	00	8 00 8 00	
	00	8 00	
Mertensia virginica 1	75 50	6 00 12 00	
*Mitchella repens. "Collected" clumps 1	00	8 00	60 00
EVERGREENS ARE MARKED WITH	A S	TAR (*)	

CATALOG OF HIGHLANDS NURSERY

HARDY HERBACEOUS PERENNIALS, continued	
Per 10 100	1,000
Monarda didyma	
Œnothera brachycarpa 3 00 cæspitosa 3 00	
Orchis spectabilis	
Orontium aquaticum	\$50,00
2nd size	90 00 125 00
X size	
*Peramium (Goodyera) pubescens and repens. 1 75 Phiox pliosa	
*subulata alba 1 50	
Physostegia virginiana	
Polygonatum biflorum	
Polygonum clinode	
*Potentilla tridentata 1 00 8 00	
Sanguinaria canadensis. Bloodroot. Strong 75 6 00	36 00
*Sarracenia catesbæi, drummondii, flava,	
psittacina and rubra	
Saxifraga micranthidifolia 1 50 12 00	
michauxii	
*Shortia galacifolia. 2nd size	
Silene stellata 1 00 8 00 virginica 1 25 10 00	
Solidago canadensis, boottii, erecta, glomerata, nemoralis, odora, pallida,	
rugosa and rupestris	\$65 00
Spigelia marylandica 3 00 20 00 Stachya aspera 75 6 00	
Steironema ciliatum, quadrifolium and terestris	
Stenanthium robustum. Mountain Feather Fleece. 3 to 5 with extremely showy panicles. This is one of our rece	ft. Tall, nt intro-
ductions, and is, without doubt, a plant that will be used sands when known. The pure white flowers are borne on	by thou-
eompound panieles, often 2 to 3 feet long, and a elump plants makes a show equaled by few herbaceous plants	of these
description. Per 10 100 3rd size	1,000
2nd size 1 50 12 50	\$60 00 100 00
Ist size	
Thaliotrum dioleum	
Light	
Tradescantia montana	
Trillium erectum. 2nd size. 40 3 00 1st size. 75 5 00	18 00 30 00
erectum album 1 25 10 00	
grandiflorum. 2nd size	12 00 20 00
nivaie	
stylosum. 2nd size. 60 4 00 1st size. 1 00 8 00	60 00
undulatum. 2nd size	30 00 40 00
Triosteum perfoliatum	20 00
folia	
Veratrum viride 1 00 8 00	
Vinca minor. Strong. 1 00 8 00 Viola canadensis. 1 00	
hastata	
pedata bicolor	
*Xerophyllum asphodeloides. "Collected"	
elumps	
*naocida 1 00 8 00	60 00
*giauca	
EVERGREENS ARE MARKED WITH A STAR (*)	

HARLAN P. KELSEY, Owner

Cable Address KELMONT - SALEM

SALEM, MASS., U. S. A.

Fall, 1912: CATALOG: Spring, 1913

Salem and Boxford Nurseries

Kelsey's Hardy American Plants



Successful Rhododendron oval at State Normal School, Salem.
"Fillers" used are Lilies, Azaleas, Xanthorrhiza,
Ferns, Violets, etc.

Salem Nurseries Shipments are made from Salem, Mass.

Boxford Nurseries Shipments are made from East Boxford, Mass., freight station.

From both Nurseries deliveries may be arranged for by truck to points along the North Shore and the vicinity of Boston.

Prices at our Salem and Boxford Nurseries are about 25 per cent higher than at our Highlands Nursery, the difference representing freight and other costs.

Specimen Stock. There is a demand for fine specimen

Specimen Stock. There is a demand for fine specimen stock in Conifers, Rhododendrous, Kalmias, Andromedas and other evergreens, and our local Nurseries are established to supply just this need which has been so long felt.

Prices are made to fit the quality of stock sent out. Few realize that the real value of nursery stock is largely underground Frequent transplanting and handling specimens, with adequate burlaped balls, means success and quick results. It costs more, but it is the fixed policy of our Salem and Boxford Nurseries; and "cheap" stock will not be handled or sent out. The best is always the cheapest.

Visitors are always welcome, and arrangements may be made by telephone (Salem 820) to meet Mr. Kelsey personally at either Nursery.

Always address:

HARLAN P. KELSEY

287 Essex Street, Salem, Mass., U. S. A.

OWNER

Salem Nurseries, Salem, Mass. Boxford Nurseries, East Boxford, Mass. Highlands Nursery, Saginaw, N. C.

CATALOG OF SALEM AND BOXFORD NURSERIES



Andromeda (Pieris) floribunda

A specialty at our Nurseries—native stock is vastly superior to the soft-wooded imported stuff.

Evergreen	and	Deciduous	Trees	and
		Shh.		

Snurps Each	10	100
*Ables concolor. White Fir. 1 to 1] ft\$0 50	10 \$1 00	100 \$30 00
1] to 2 ft	12 50	\$30 00
2 to 3 ft	20 00	
4 to 5 ft	-5 00	
"douglasii. See Pscudotsuga.		
*fraseri. Fraser's Balsam Fir. 6 to 12 in 20	1 25	10 00
1 to 1] ft	2 00	12 50
11 to 2 ft	4 00	37 50
2 to 3 ft 1 50	10 00	90 00
3 to 4 ft	20 00	
	25 00 35 00	
Acer polymorphum. Japanese Maple, assorted.	33 00	
1 to 1) ft	10 00	
saocharum. Sugar Maple. 2 to 3 ft	1 00	8 50
12 to 14 ft. 9 50	20 00	0.00
Actinidia arguta. 2 to 3 ft	4 00	
Ameianemor botryapium. Shad Bush.		
2 to 3 (t	3 50	
5 to 7 ft 1 00	8 50	
Ampelopsis ongelmanii. Strong, 2 years 40	3 50	30 00
hetorophylia. 2 years	4 00	05.00
quinquofolium. Strong	4 00 1 00	35 00
Andromeda (Pieris) floribunda. 6 to 12 in 1 50	$\frac{4}{12} \frac{00}{30}$	35 00 100 00
I to 13 ft	17 50	150 00
Aralia pontaphylla. 2 to 3 ft	4 00	30 00
3 to 4 ft	6 00	50 00
Aristolochia sipho. 4 to 0 ft	12 50	00 00
Aronia arbutifolia. 1 to 11 ft	4 00	30 00
3 to 4 it 1 00	8 50	75 00
nigra. 1 to 2 ft	3 75	35 00
Azalea arborescens. 1 to 1] ft	5 00	45 00
1 to 2 ft	8 50	75 00
1 to 1 ft., elumps	12 50	100 00
11 to 2 ft., clumps	22 50 10 00	200 00
lutea. Flame Azalea, 6 to 12 in	$\frac{10\ 00}{2\ 00}$	17 50
1 to 11 ft	4 00	35 00
2 to 3 ft 1 50	12 50	100 00
3 to 1 it 4 00	35 00	_00 00
1 to 2 it., clumps So	7 50	
mons. 1 to 14 tt	8 50	
nudiflora. 6 to 12 in	2 50	20 00
1 to 13 ft	5 00	40 00
11 00	4 00	35 00
	15 00	20.00
11 CRV 10 T. 1 to 14 tt 75	4 00 6 00	30 00
Berberls thunbergil. 6 to 12 in	1 75	15 00
1 to 14 it	3 00	27 50
14 to 2 it	4 50	40 00
vulgaris. I to 2 ft	$\frac{2}{2} \frac{20}{50}$	22 50
vulgaris purpurea. 2 to 3 it 50	4 00	35 00
CUCDODEDIO ADD RELEGIO	'AR (*)	
	. ,	

KELSEY'S Hardy American Plants Rhododendrons and Azaleas CATALOG OF SALEM AND BOXFORD NURSERIES

EVERGREEN AND DECIDUOUS TREES AND S		
Betula lutea. Yellow Birch. 6 to 8 ft	\$8 50 3 00	100
*Buxus sempervirens. Box, Bush Form.	12 50	2100.00
1½ to 2 it 2 00	17 50	\$100 00
*pyramidal. 2 to 3 ft	17 50 37 50	
*standard and half standard.	37 00	
11 to 4 ft	10 00	
Carpinus caroliniana. Water Beech. 6 to 8 ft., 1 00 *Chamæcyperis sphæroldea. 2 to 4 ft 1 00	\$ 50	75 00
*Chamædaphne calveulata. "Collected" clumps	1 50	12 50
Chionanthus virginica. 1 to 2 ft	$\begin{array}{ccc} 2 & 50 \\ 1 & 50 \end{array}$	22 50 12 50
4 to 6 ft	22 50	00
6 to 7 ft	8 50	
3 to 4 ft	12 50 8 50	
3 to 4 ft 1 50	12 - 50	10.00
punctata. 3 to 4 ft	5 00 8 50	40 00
Deutzia crenata. 2 to 3 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Euonymus alatus. 1 to 2 ft	6 00	no 00
*radicans. Strong, 2 years	$\begin{array}{c} 3 & 50 \\ 4 & 00 \end{array}$	30 00 35 00
Forsythia fortunel. 2 to 3 ft	3 50 5 00	25 00 40 00
Intermedia. 2 to 3 ft	3 50	25 00
3 to 4 ft	5 00 3 50	$\frac{40}{25} \frac{00}{00}$
viridissima. 2 to 3 ft	3 50	25 00
3 to 4 ft	5 00 S 50	40 00
Gaylussacia resinosa. "Collected" clumps Gieditschia triacanthos. 5 to 7 ft	1 25 17 50	10 00
Hamamelis virginica. 4 to 5 ft	6 00	
Halesia tetraptera. Silver Bell. 3 to 4 ft	6 00 10 00	
Hydrangea paniculata grandiflora. 2 to 3 ft 60 3 to 4 ft	5 00 8 50	10 00
Ilex verticillata. 2 to 3 ft	5 00	20.00
1 to 1k ft 1 25	10 00	30 00 90 00
1) to 2 ft	15 00	
*virginiana. 1 to 2 ft	$\frac{6}{12} \frac{00}{50}$	50 00
Specimens. 5 to 10 ft. ligh\$3 to 15 00		
*Kalmia angustifolia. 1 to 2 ft., clumps	6 00 1 50	12 50
*latifolia. 9 to 12 in	3 50 5 00	30 00 40 00
11 to 2 ft	7 00	60 00 90 00
1½ to 2 ft., clumps 2 00	17 50	150 00
2 to 3 ft., clumps	$\frac{27}{3} \frac{50}{00}$	25 00
*Ledum latifolium. "Collected" clumps *Leucothoe catesbæl. 6 to 12 in., clumps 65	1 50 4 00	12 50
1 to 1½ ft., clumps 1 00	8 50	75 00
1½ to 2 ft., clumps	15 00 3 00	$\begin{array}{ccc} 125 & 00 \\ 25 & 00 \end{array}$
regeilanum. 1 to 2 ft	$\frac{3}{15} \frac{00}{00}$	25 00
Lonicera belgica. 1 to 2 ft	3 50	05.00
japonica, var. halliana. 1 to 2 ft., heavy 35 morrowil. 3 to 4 ft	3 00 6 00	25 00
tatarica. 3 to 4 ft	6 00 5 00	
Malus coronaria. 1 to 2 ft	5 00	10.70
Myrica gale. "Collected" clumps	1 50 4 00	12 50
2 to 3 ft	6 00 4 00	30 00
*Picea alba. 2 to 3 ft	$\frac{12}{17} \frac{50}{50}$	100 00 150 00
31 to 4 ft	25 00	100 00
4 to 5 ft	35 00	
*excelsa. 3 to 4 ft	10 00 15 00	90 00
*mariana. 2 to 3 ft	12 50 17 50	
*pungens. 3 to 4 ft	22 50	
4 to 5 ft	32 50	
Speciment, 3 to 5 ft	22 50	200 00
1\(\frac{1}{2}\) to 2 ft	32 50	300 00
3 to 4 ft 6 00	40 00 50 00	
EVERGREENS ARE MARKED WITH A ST	TAR (*)	

3

CATALOG OF SALEM AND BOXFORD NURSERIES



Tsuga carolinjanum

EVERGREEN AND DECIDUOUS TREES AND SHBUBS	
*Pinus austriacn. 3 to 4 ft	100
*divnrleata. 1 to 2 ft	\$40 00 60 00 40 00
*nurrayana. 2 to 3 ft	
*pungens. 2 to 3 ft	
*strobus. 1 to 2 ft	25 00 45 00
*Pseudotsuga douglasii glauca. 3 to 4 ft 4 00 *tnxlfolin. 50 4 00 1 to 2 ft 1 00 8 50 2 to 3 ft 2 00 17 50 3 to 4 ft 3 00 25 00	30 00 75 00 150 00 225 00
Quereus mncrocarpa. 4 to 6 ft 1 50 12 50 pnlustris. 8 to 10 ft 1 75 15 00 prinus. 4 to 6 ft 75 6 00 rubra. 4 to 6 ft 75 6 00 *Rhododendron catawblense. 6 to 9 in 30 2 50	22 50
1 to 1 ft., clumps. 1 75 17 00 1 ft o 2 ft., clumps. 2 50 22 50 2 to 3 ft., clumps. 3 50 32 50 3 to 4 ft. 600 50 00	125 00 200 00
1 to 5 ft., elumps	17 50
1 to 1 ft	25 00 50 00 80 00 125 00
earollnlanum (punctatum.) 6 to 9 in. 50 4 00 9 to 12 in. 75 6 00 9 to 12 in. 75 6 00 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 3 ft., clumps. 3 50 32 50 2 to 3 ft., clumps. 0 00 50 00 EVERGREENS ARE MARKED WITH A STAR ()	30 00 50 00 100 00 150 00

CATALOG OF SALEM AND BOXFORD NURSERIES

EVERGREEN AND DECIDUOUS TREES AND SHRUBS, con.

*Rhododendron Hybrids. Hardiest varieties, including the following:
Abraham Lincoin, album elegans, grandiflorum, caractacus,
catawbiense alba, everestianum, General Grant, Mrs. Miner
and others, according to size and selection, \$1.50 to \$4 cach.

and others, according to size and selection, \$1.50	to S4	cach		
*Khododendrons in Car-iots, for prices and			•	
details see Highlands Nursery Catalog.				
TORA II.	1	10	10	M)
Rhus cotinoides. 6 to 8 ft	0	•	10	•
	0 \$3	50	\$30	00
		00		00
		00		00
		00	00	oo
		00	25	00
13 to 2 ft		őő		ŏŏ
salicifolia. 1 to 2 ft., "Collected" clumps 1 7	5 15		10	00
tomentosum. 1 to 2 ft., "Collected" clumps 1 9		00		
thunbergil. 2 to 3 ft		00	30	00
van houttel. 2 to 3 ft	-	ŏŏ		00
		ŏŏ		00
Stephanandra flexuosa. 2 to 3 ft		00	00	00
Stuartia pentagyna. 1 to 2 ft 1 0		50		
	5 6	00	50	00
		00		00
Syringa vuigaris. 1 to 2 ft., clumps 4		00		00
3 to 4 ft., clumps		00		00
alba. 13 to 2 ft., clumps		00		őő
2 to 3 it., clumps 1 0		50	75	00
3 to 4 ft., clumps 1 5		50		ŏŏ
Named Varieties. 1 to 3 ft50 cts. to 1 5		00	100	O
*Taxus canadensis. 6 to 8 in 5		00	30	กก
S to 10 in 7		00		00
10 to 12 in		50		00
*Thuya sibirica. 1 to 1 ft		no	, 0	00
*globosa- 2 to 3 ft 1 5		50		
*Tsuga canadensis. 1 to 1\frac{1}{2} ft			S17	50
1\(\frac{1}{2}\) to 2 ft		00	30	
3 to 4 ft 1 7			125	
4 to 5 ft			120	00
5 to 6 ft 4 0				
*carolinianum. Carolina Hemlock, 3 to 6 ft.		00		
83 to 15 0	0			
Ulmus campestris. 8 to 12 ft	$\tilde{0}$ 22	50		
Vaccinium corymbosum.		-		
1 to 2 ft., "Collected" clumps	G	00	50	00
2 to 3 ft., "Collected" clumps	12		100	
2 to 3 ft., "Collected" clumps 3 to 4 ft., "Collected" clumps	30		250	
*macrocarpon. "Collected" clumps	4		30	
pennsylvanieum. "Collected" clumps		00		00



CATALOG OF SALEM AND BOXFORD NURSERIES

EVERGREEN AND DECIDUOUS TREES AN	D S	HRUBS	con.
F	Cach	10	100
Viburnum acerifolium. 1 to 11 ft	40	\$3 00	
alnifolium. 2 to 3 it	75	6 00	
cassinoides. 2 to 3 ft	50	4 00	
3 to 4 ft	1 00	8 50	
4 to 6 ft	2 00	18 00	
dentatum. 4 to 6 ft., heavy elumps	2 50	20 00	
dilatatum. 1½ to 2 it	60	5 00	
molle. 1½ to 2 ft	50		
opulus. 2 to 3 ft	50	4 00	
oxycoccus. 1} to 2 ft	40	3 00	
prunifolium. 1 to 3 ft	60	5 00	
tomentosum. 2 to 3 ft	50	4 00	\$30 00
3 to 4 ft	75	6 00	50 00
*Vinca minor	20	1 25	10 00
*alba	35	2 00	17 50
Vitis, Concord. Very heavy	75	6 00	50 00
Weigela, in variety. 2 to 3 ft	65	4 00	00.00
Xanthorrhiza aplifolia. 6 to 12 in., clumps	50	4 00	30 00
*Yueca flacelda. Clumps	50	4 00	30 00

Hardy Herbacous Vines, Perennials and Bog Plants

We are prepared to supply any Hardy Herbaccous Perennials at reasonable prices which fit the quality of stock desired. Weak plants are cheaper and strong clumpy stock is always recommended. Special attention is called to our fine list of Hardy Ferns.

Per 10 100 1.000

Actæa rubra	2 50	\$20 00	
Asters, in variety	25	10 00	
Baptisia tinetoria. Heavy clumps	1/25	10 00	
Bicuculla (Dicentra) eximia	50	$12 \ 00$	
spectabile	3 00		
Brodiæas should be ordered in summer and in			
no event later than October 1, for the			
current season's shipment.			
californica	60	4 00	\$35 00
capita. Blue	30	$^{2} 00$	15 00
coccinea. 🕻 to 1 in. diameter	60	4 - 00	35 00
grandiflora. Blue	30	$\frac{2}{2} \frac{00}{00}$	15 00
ixioides spiendens. Very fine yellow	40	2 50	22 00
laxa. Fine; blue in umbels	30	$2^{\circ}00$	15 00
peduncularis. White. Fine for wet places	40	2 50	22 00
volubilis. Twining hyacinth 5 to 8 in. diam	60	4 00	35 00
Calochortus albus. Pearly white	30	$2\ 00$	15 00
benthamil. A charming yellow cup	30	2 00	15 00
catalinie. Lilae; fine cyc		8 00	
gunnissonll. Superb; white; hardy	25	6 00	
lelchtlnII. Smoky white, Alpine		4 00	35 00
Illacinus. Satiny lilac	30	$2^{-}00$	15 00
luteus. Light yellow; no eye	30	2 00	15 00
maerocarpns 1		6 00	
mawennus roseus. Rose tinted	40	3 00	
nitidus. Very fine. Lilae, purple blotched;			
hurdy.,	40	3 00	25 00
plummere. Superb. Fine lilac 1	50	8 00	
splendens type. Fine lilne 1	00	4 00	35 00
venustus eltrinus. Deep yellow	30	2 00	15 00
venustus oculatus. White or tinted lilac	30	2 00	15 00
venustus purpurascens. Purple	00	1 00	35 00
venustus roscus! 1		4 00	35 00
vesta. Finest Mariposa tulip. Very fine bulbs I	25	6 00	45 00



Cypripedium reginm (see page 7)

EVERGREENS ARE MARKED WITH A STAR (*)

CATALOG OF SALEM AND BOXFORD NURSERIES

HARDY HERBACEOUS VINES, PERENNIALS, E		
Caltha palustris	\$10 00	1,000
Castalia odorata 1 25 Chelone glabra 1 25	10 00	•
lyoni 1 25	10 00	
Otematis aprilonal fleavy		
erlspa. Strong	30 00	
3 yearseach, 60 cts 5 00	45 00	
Convaliaria maialis	35 00 S 00	
Cypripedium acaule 1 25 regine. 1 to 2 crowns. 2 50	10 00 20 00	
3 to 4 crowns 6 00	50 00	
10 8 crowns	80 00	
Drosera rotundifolia. 1 00 Erythronium albidum 1 50	8 00	
americanum 50 grandiflorum. Bright yellow 1 00	2 00	\$16 00
Citrinum, Light Vellow, deep orange center 1 00	1 00	35 00 35 00
californicum. The standard cream sort. 50 giganteum. True. Pure white. 1 00	2 00 4 00	16 00 35 00
hartweggli. Cream, yellow at center	$\frac{2}{4} \frac{00}{00}$	16 00 35 00
revolutum. White, changing to purple	4 00	35 00
high mountains, where it endures great		
cold. Bright yellow turning to purple. Hardiest California variety. 6 to 12 in.		
high	4 00 10 00	35 00
Fritliaria biflora, Nearly black, Low: bell-	10 00	
shaped	6 00 6 00	
coccinea. Deep crimson	4 00 6 00	35 00
recurva. Orange-scarlet. I to I in, diam	3 00	25 00
Order Fritillarias before Oct. 1, if possible.	4 00	35 00
Gaiax aphylia	18 00 8 00	
Helenium autumnale i 00	8 00	
Helonias buliata. 1 25 Heuchera sanguinea. 1 25	10 00 10 00	
Humulus lupulus. f 00 Hydrastis canadensis. 1 00	8 00 8 00	
Iris cristata	10 00 12 00	
pseudacorus 1 50	12 50	
verna. 1 50 versicolor. 1 00	10 00 S 00	
Limodorum (Calopogon) pulchelius	12 00 8 00	
2nd size. 65 canadense rubrum. 2 00	15 00	
carolinianum	12 00	
columbianum 3 00 grayi. 1st size 1 50	$\frac{20}{12} \frac{00}{00}$	
humboidtii. 7 to 8 in. circumference	$\frac{20}{25} \frac{00}{00}$	160 00 180 00
9 in. circumference and over. 6 50 keliogii. 6 50	$\frac{45}{45} \frac{00}{00}$	
pardailnum. One eye	12 50	70 00
Heavier. 2 00 parryif. Medium. 6 50	$\frac{16}{45} \frac{00}{00}$	
Large 10 00 parvum. Good 4 00	75 00 30 00	
Large 7 00 philadelphicum 1 00	45 00 8 50	
rubescens	45 00	
speciosum. 2 00 superbum. 1st size. 1 00	12 00 8 00	
washingtonianum, var. purpureum 7 to 8 in. circumference	20 00	
8 to 9 in. circumference. 4 00 9 to 12 in. circumference. 6 50	30 00 15 00	
Lycopodium, in variety i 00	8 00	
Monarda, in variety. 1 25 Nymphæa advena. 1 25	10 00	
Orontium aquaticum	8 00 50 00	
Strong plants with 2 to 3 eyes 1 75	15 00	
Phlox decussata, in variety. 2 00	10 00	
subulata aiba 1 00 1 00	8 00 8 00	
Pontederia cordata 1 00 Potentilla tridentata 1 00	8 00 8 00	
Porteranthus (Gillenia) stipulatus 1 (%)	8 00	
Rbexia virginica. 1 00 Sarracenia purpurea. 1 25	8 00 10 00	
Sedum (Stonecrop) in variety 1 00 Sempersivum, in variety 1 50	8 00 12 00	

7

CATALOG OF SALEM AND BOXFORD NURSERIES

HARDY HERBACEOUS VINES, PERENNIA	LS, conti	ued
Solidago, in variety	100	1,000
Stenanthium robustum, 1st size 3 0	10 26 00	
2nd size		
2nd size	5 500 10 300	\$30 00 1S 00
erectum album	5 10 00	
2nd size	0 1 50	$\frac{20\ 00}{12\ 00}$
recurvatum	5 5 10 00	
sessile, var. californicum 1 0 sessile, var. Snow Queen 1 0		55 00 - 55 00
stylosum. 1st size 1 0	0 S 00 0 4 00	60 00
undulatum. 1st size	5 6 00	40 00
Thalletrum cornuti 1 0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
Typha latifolla 1 0 Vlola cornuta 1 0		60 00
pedata	0 8 00	00 00
F-22-0- 21-0-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	J 14 00	
Hardy Native Ferns		
Adlantum pedatum. Maidenhair Fern. Per S to 20 in	10 100 00 \$8 50	$\frac{1000}{$7500}$
Aspidium (Dryopteris) aerostichoides. Dagger		
braunii. 16 to 36 in	75 6 00 50 12 50	50 00
erlstatum, var. clintonianum. 16 to 52 in 14	75 6 00 00 8 50	
goldianum. Goldie's Fern. 24 to 40 in 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
marginalis. Shield Fern. 12 to 28 in	75 6 00	50 0 0
noveboracensis. New York Fern	00 17 50 75 6 00	
spinulosa, yar. dilatatum. Broad fronds 1 :	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Asplenium angustifolium, 3 to 4 in 1	00 S 00 25 10 00	
ebeneum. 9 to 18 in	00 8 00	
thelypteroides. Silvery Spleenwort. 2 to 3 ft 1 (00 8 00	
Botrychium ternatum dissectum	00 8 00 00 8 00	
virginianum. Virginia Grape Fern. 1 to 2 ft 1 ($\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Camptosorus rhizophyllus. Walking Fern.	25 10 00	
	00	
Cystopteris buibifera. Bladder Fern. 1 to 2 ft 7	5 6 00	
Dicksonia punetilohula. Hay-scented Forp	00 S 00	
Lygodium palmatum. Climbing Fern. 1 to 3 ft. 1 5	0 8 00	60 00
Unocica sensibilis. Sensitive form. 4 to 12 in 1 f	10 8 00	60 00
struthlopteris. 2 to 10 ft	0 8 00 0 8 00	
Osmunda einnamomea. Cianainon Fern. 32 to 63 in		100 00
cinytoniana. Clayton's Fern. 2 to 4 ft 1 5	0 12 00	100 00
regalls. Royal Fern. 12 to 63 in		
Pellea atropurpurea. Purple-steinmed Cliff Brake. 4 to 24 in	0 12 00	
densa. 1 0 gracilis. Slender Cliff Brake, 2 to 6 in. 1 5	0 8 00	
Enegopteris dryopteris. Oak Fern. 6 to 10 in 1 0	0 8 00	
hexagonoptera. Broad Beech Fern. 7 to 12 in. 1 00 polypodioldes. 4 to 8 in	0 8 00	
Polypodlum faleatum. 6 to 15 in. 1 2 vulgare. Polypody. 3 to 6 in	5 10 00 5 6 00	45 00
Pteris aquliina. Common Brake. 4 to 36 in 7.	5 5.00	30 00
Scolopendrium vulgare	0 8 00	
obtusa. Blunt-lobed Woodwia. 8 to 20 in	0 8 00	
virginiea. Virginia Chaiu Fern. 24 to 64 in 1 0	0 8 00	
Sand all orders and address all correspond		

Send all orders and address all correspondence to

HARLAN P. KELSEY

(Landscape Department)

Empire Theatre Building

Salem, Mass.